

PRODUCTS

Framery One

The connected one



Framery One, our first digital soundproof pod. It's stylish, super smart, and the best place in the office to take a video call. This advanced pod is a highly adaptable workspace where you won't be disturbed by outside noise or distractions. Packed with the latest technology, leading sound insulation standards, and echo-free acoustics, Framery One has been engineered to let you focus on your work, and connect online with people anywhere.

framery

Perfect for you

How do you work best? Design the pod to suit your needs.



Framery One

Framery One is a highly adaptable workspace for one person. The leading sound insulation standards and echo-free acoustics keep you free from outside noise or distractions. Industry leading ventilation speeds ensure the highest air quality inside the pod, keeping you fresh and focused. Adjustable lighting from the ceiling light and front-facing video conferencing light lets you set your preferred atmosphere for video meetings, focus work, or any other uses. The height-adjustable table provides a generous working space, large enough for all of your devices and any other personal items. A height-adjustable seat is available as an option.



Framery One Premium

Get the most out of Framery One with Premium package. Framery One's impressive exterior comes in a range of Framery colors, while our design team have created a range of interior panel fabrics, carpet, seats and tables, so you can adapt the pod to suit your company style. And – if you need a super flexible solution – just add wheels. Both the seat and generous table are designed to be easy to adjust, with footrests on the floor and fixed to the seat to keep you comfortable for long stretches. Activated carbon filter ensures the air inside the pod is always fresh, clean and free of odours.

Colors

Exterior

White (Standard) RAL 9016	Gray (Standard) S7500-N	Black (Standard) RAL 9005	Navy S 7020 - R90B	Sand S 2010 - Y20R	Powder Blue 3421-R86B	Winter Moss S 7010-G10Y	Blush 2728-R01B

Interior panels

Pure Gray (Standard) Tonal #60123 Gabriel	Navy Atlantic #66057 Gabriel	Sand Tonal #61180 Gabriel	Rouge Tonal #64210 Gabriel

Carpet

Light Gray (Standard) Ex-dono Quartet #393330 Fletco carpet	Dark Blue Zenith #T371880 Fletco carpet	Champagne Zenith #T371210 Fletco carpet	Grape Zenith #371680 Fletco carpet

Frame

Black RAL 9005

Table


White (Standard) White laminate	Black Black laminate with anti- fingerprint surface	Oak veneer

Seat Fabrics

Graphite (Standard) Select #60051 Gabriel	Dark Blue Select #66144 Gabriel	Grape Select #61190 Gabriel	Rose Select #65117 Gabriel	Powder Blue Select #67098 Gabriel	Beige Select #61184 Gabriel	Green Selected #68209 Gabriel	Mustard Select #62098 Gabriel

Technical specifications

Size	Exterior 225,5 cm × 122 cm × 100 cm (h, w, d) 88.8 in × 48 in × 39.4 in (h, w, d) With castors (comes with movability kit): extra 3 cm / 1.18 in in height With activated carbon filter: extra 6.5 cm / 2.56 in in height Interior 204 cm × 102 cm × 93 cm (h, w, d) 80.3 in × 40 in × 36.6 in (h, w, d) Doorway 204 cm × 101,5 cm (h, w) 80.3 in × 40 in (h, w)
Weight	357 kg / 787 lb
Ventilation space	Minimum recommended space for air to circulate Above: 15 cm / 5.9 in
Acoustics	> 30 dB (Speech level reduction according to ISO 23351-1 testing method)
Airflow	Total airflow is 29l/s, 61 CFM (103,6 m3/h) On standby mode the fans are working on 25 % of the maximum power.
Lighting	Ceiling light: color temperature 4000 K, illuminance up to 500 lux on the tabletop. Video conference light: color temperature 4000 K, illuminance up to 400 lux on the user's facial area.
Exterior materials	Exterior: Powder coated deep-drawn steel panels. Glass: Sound control laminated glass (4 + 4 mm). Frame: Matt black frames made from steel & aluminum.
Interior materials	Solid walls and roof: A sandwich element chassis, made of deep-drawn sheet metal & recycled acoustic foam. Replaceable interior panels made from PET sheets which are laminated with polyester fabric. Anti-static and stain resistant low loop pile carpet for the floor. Table Formica laminate on birch plywood with varnish trim.



Power cord can be led out of the bottom corner of the pod or from the roof. The cord length outside the pods is 4,5 m / 177.6 in
The door handedness can be changed on-demand with simple tools, by flipping the front frame in its place.

Power

Power consumption

34,5 W while in use (Standard configuration)
- LED lights: 23,5 W
- Fans in total: 7 W
- Other components: 4 W
6 W in standby mode
Input: 100–240 VAC, 10.0 A, 50–60 Hz

Outlets

Power socket, USB-C charger
Optional: Wireless charger and LAN port

Output values

Output VAC (power socket): 100–240 VAC, 6,6 A, 50–60 Hz
Output USB C charger: 18 W
Output Qi wireless charger: 10 W

Radio networks

LTE-FDD: B1/B2/B3/B4/B5/B7/B8/B12/B13/B18/ B19/B20/B25/B26/B28
LTE-TDD: B38/B39/B40/B41
WCDMA: B1/B2/B4/B5/B6/B8/B19
GSM: B2/B3/B5/B8
BLE

Output powers

BLE 10 dBm, LTE 23 dBm, GSM 850/900 33 dBm,
GSM 1800/1900 30 dBm, WCDMA 24 dBm

Certificates



Framery
One is UL
GREENGUARD
GOLD certified



Framery O, Q, 2Q
and One shipped
in North America
are UL 962 listed



Furniture



Height-adjustable table


The height adjustable table provides comfort for all users. The table can be adjusted vertically between 74 – 116 cm (29.1 – 45.7 in). The ample surface of the table (76 cm width & 46 cm depth/ 30 in x 18 in) provides space for laptops, personal devices and other work tools.



Height-adjustable seat

The height adjustable seat has two footrests for comfortable working. The height can be adjusted vertically between 59 cm - 85 cm (23.2 in x 33.5 in).


Functionalities



Framery Connect Sign up to Framery Connect, our revolutionary digital service, to make sure you always have the best possible version of Framery One. Enable future software updates by activating your Framery One in Framery Connect. Check the pod's availability and make reservations through Google and Microsoft calendar systems with the **Bookable Pods** functionality. When vacant, the pod can also create an automatic calendar reservation upon entry. You can also extend your current reservation with the touch of a button directly to the UI Panel. And stay up to date with all upcoming features from Framery Connect!



UI Panel From the UI Panel, you can adjust the pod's lighting and ventilation according to your personal preferences. Choose from Work Mode or Video Mode lighting presets, or control the brightness of both lights individually. The integrated 4G module enables to see the pod's availability, and make reservations directly with the **Bookable Pods** functionality on the touchscreen. Charge your devices via power outlets (1 power socket, USB C socket, optional LAN) located on the UI Panel.



Video conference light

A dimmable LED panel embedded into the tech wall of Framery One improves the experience of video calls. Warm light is cast on the user's face in a wide spread with excellent color rendering capacity (90CRI), providing excellent illumination without bothering the user. The 4000K color temperature guarantees a natural look and feel with optimal user comfort. Adjustments to both the video conference light and the ceiling light can be made easily via the UI Panel.



Occupancy light

Stepping into the pod, Framery One's occupancy lights will display a red light with 360° visibility to let the office know the pod is in use.



Activated carbon filter

Keep the air inside Framery One extra fresh and clean and free of odors with an activated carbon filter. The filter removes pollutants from the air with an adsorption process.



Wireless charger Charge your phone fast and wire-free inside our pods! The charger itself is located underneath the table, with a sticker on top of the table indicating where to place your phone to get it charged.



LAN Port It is possible to add a LAN Port to the UI Panel. This option includes a LAN cable.



Movability kit Framery One can be easily relocated without disassembly by lifting the levelling feet up and thus lowering the pod onto its wheels. The high load capacity polyurethane castor wheels are both durable and pliable. Number of wheels: 4.